

www.lanconnect.de info@lanconnect.de Tel.: 0049(0)2251-74693

Chieldene D/M	Description	
Sticklers P/N CCU125	1.25mm CLEANCLICKER* 750 Fibre Optic Cleaner 750 - cleans per device Cleans LC/UPC, LC/APC, MU/UPC, MU/APC and some hardened 1.25mm connectors	
CCR125	1.25mm CLEANCLICKER* 750 Fibre Optic Cleaner REFILL TWIN PACK Refill cartridges for 2.5mm CLEANCLICKER 750 fibre optic cleaners (part number CCU125) Two refill cartridges per box.	
CCU250	2.5mm CLEANCLICKER® 750 Fibre Optic Cleaner • 750+ cleans per device • Cleans SC/UPC, SC/APC, ST, FC/APC, FC/UPC, E2000/UPC and E2000/APC and some hardened 2.5mm connectors	
CCR250	2.5mm CLEANCLICKER® 750 Fibre Optic Cleaner REFILL TWIN PACK Refill cartridges for 2.5mm CLEANCLICKER 750 fibre optic cleaners (part number CCU250) Two refill cartridges per box.	
CCM125	CLEANCLICKER® 400 Fibre Optic Connector Cleaner • 400+ plus cleans per device • Cleans LC, MU, ODC, ARINC801, NECON & other hardened 1.25mm connector systems	
ССМРО	MPO CLEANCLICKER® 600 Fibre Optic Connector Cleaner • 600+ cleans per device • Cleans MPO & MTP connectors	_00
ССМРО-А	MPO CLEANCLICKER® 600 - Adapter Set • Use with MPO CLEANCLICKER® 600 and hardened connector interfaces, like OptiTip and HMFOC • Male and female set	00
CCWRC	Cassette CLEANCLICKER® End Face Cleaner • 500 · cleans per device • Cleans all standard single fibre connectors, including SC, LC, ST and E2000	60
ссwмт	Cassette CLEANCLICKER® End Face Cleaner - Male • 500+ cleans per device • Adapted to clean male MT ferrule end faces between the alignment pins	
S12	1.25mm CLEANSTIXX*** Cleaning Sticks - 50 cleaning sticks per box - Cleans LC, MU, SFP+ modules, ARINC 801 & ODC/RDC (socket termini) connectors	
\$25	2.5mm CLEANSTIXX™ Cleaning Sticks • 50 cleaning sticks per box • Cleans SC, ST, FC, E2000, OptiTap & MIL DTL 83526 (TFOCA/GFOCA) connectors	Marie V
S16	Mil-Aero CLEANSTIXX™ Cleaning Sticks ■ 50 cleaning sticks per box ■ Cleans MIL PRF 29504/5, MIL PRF 29504/15, MIL DTL 3899, MIL DTL 28876 & SMPTE304 Jack	JOSEPH I
EB12	EB CleanStixx™ Optical-Grade Cleaning Stick ■ 50 cleaning sticks per box ■ For use on expanded beam connectors in harsh environments	1
P25	Termini CLEANSTIXX*** Cleaning Sticks * 50 cleaning sticks per box * Cleans MIL DTL 38999 connectors with MIL T 29504/4 pin termini, MIL PRF 28876 connectors with MIL PRF 29504/14 pin termini and pin termini in hardened connector systems including MIL DTL 83526 (TFOCA/GFOCA), ARINC 801 & ODC/RDC (socket termini)	Elecs
хмт	MT CLEANSTIXX™ Cleaning Sticks • 50 cleaning sticks per box • Cleans MPO, OptiTap-style drops and multiports, MT38999, MTRJ, HFMOC and QSFP+	Tiscary 0

VM	CleanStixx® Combo Pack - Military Mix • 50 cleaning sticks per box	vil.
	Contains ten of each P25, S12, S16, S25 and XMT CleanStixx* types	NW
vs	CleanStixx® Combo Pack - Commercial Mix • 50 cleaning sticks per box • Contains twenty S25, twenty P25 and ten S12 CleanStixx® types	11
POC03M	Fibre Optic Splice & Connector Cleaner® Precision Cleaning Fluid - 85g / 58ml Non-flammable, non-hazardous, non-regulated, ultra-pure, ultra-fast drying, static dissaptive fluid Cleans all fibre end-faces and bare fibre in preparation for splicing Hermetically sealed, spill-proof can provides perfectly metered does and dispenses in three ways Globally REACH and ROHs compliant	mean)
POC10M	Fibre Optic Splice & Connector Cleaner® Precision Cleaning Fluid - 284g / 196ml Non-flammable, non-hazardous, non-regulated, ultra-pure, ultra-fast drying, static dissaptive fluid Cleans all fibre end-faces and bare fibre in preparation for splicing Hermetically sealed, spill-proof can provides perfectly metered does and dispenses in three ways Globally REACH and ROHs compliant	The second
POC03L	Fibre Optic Splice & Connector Cleaner® Precision Cleaning Fluid - 1.14kg / 11 Non-flammable, non-hazardous, non-regulated, ultra-pure, ultra-fast drying, static dissaptive fluid Cleans all fibre end-faces and bare fibre in preparation for splicing Globally REACH and ROHs compliant	TO THE PARTY OF TH
POC03GG	Fibre Optic Splice & Connector Cleaner® Precision Cleaning Fluid - 4.4Skg / 3.8I Non-flammable, non-hazardous, non-regulated, ultra-pure, ultra-fast drying, static dissaptive fluid Cleans all fibre end-faces and bare fibre in preparation for splicing Globally REACH and ROHs compliant	
FCLP-SOL-1	VIAVI CLEANBLAST™ Cleaning Fluid - Single 225ml bottle • Compatible with all VIAVI CLEANBLAST™ systems, benchtop and portable • Packaged to VIAVI specifications and VIAVI factory approved • Approximately 8,000 cleans per bottle	
FCLP-SOL-6	VIAVI CLEANBLAST™ Cleaning Fluid - Pack of six 225ml bottles • Compatible with all VIAVI CLEANBLAST™ systems, benchtop and portable • Packaged to VIAVI specifications and VIAVI factory approved • Approximately 48,000 cleans per pack	
DST107	Optic Grade Dust & Particle Remover • High purity air stream for cleaning optical components • Non flammable • HFO propellant with ultra low GWP (Global Warming Potential))
DST147	Optic Grade Dust & Particle Remover - Economoy • High purity air stream for cleaning optical components • Flammable	
FA1	Outdoor CLEANWIPE™ Optical Grade Wipes • 50 individual sealed wipes per bag • Hermetically sealed dry wipe with static dissapative inner foil • Engineered for cleaning fibre end-faces in harsh environments	Plane decide decide decide decide
WCS100	CLEANWIPES'** 600 Optical Grade Wipes • Lint-free optical grade wipes clean 600 connector end-faces or 100 bare fibers in preparation for fusion splicing • Six colour-coded slots prevent cross contamination and accept LC and SC duplex connectors • Electrostatic dissipative cover prevents charging from dry wiping connector end-faces	250.0
WCS640	CLEANWIPES** 640 Optical Grade Cleaning Wipes • Designed to clean 640 connector end-faces or 80 bare fibers for fusion splicing • Eight colour-coded (TIA-598-D colour scheme) slots prevent cross contamination and accept LC and SC duplex connectors • Rugged outer case with static disapative inner lining to remove triboelectric charging	
WCS800	CLEANWIPES™ 3200 Optical Grade Wipes Large box containing 800 sheets of optical grade, lint-free wipes Colour-coded slots prevent cross contamination Foil contact layer on top and bottom of cleaning window provides static dissipative medium	
WF44	Flat CleanWipes® Optical Grade Wipes • Fifty high purity wipes per bag • Use for delicate optical cleaning chores - optical devices, inspection equipment and maintaining small tools	Galler Canada
WFW	CLEANWIPES™ 90 Optical Grade Wipes • 90 sheets of optical grade, lint-free wipes • Hard shell tub protects wipes from spills and cross contamination	Action 16

MLCW	MultiTask Surface Cleaner Presaturated Wipes • 100 presaturated wipes per tub • 70% high purity ispropyl alcohol, 30% deionized water • Strong lint-free fabric wipes won't shred, lint or pill • Unique "slam-shut" package for extra long service life					
MLCWR	MultiTask Surface Cleaner Presaturated Wipes Refill 100 presaturated wipes per refill bag Economical refills elimante waste and reduce cost					
SAGR	Adhesive & Grime Remover Pen - Convenient pen dispenser effectively removes adhesives - Natural, organic solvent with unlimited shelf life - Ideal for datacom, enterprise and repair centers	, grease, gum, labels, oils, some inks, and tape residue	Inches 1800			
STANDARD KITS						
FK03	General Purpose CLEANKIT™ Cleaning Kit • Cleanwipes™ 600 box, Cleanwipes™ 90 tub and 25 Outd • Two cans of fibre Optic Splice & Connector Cleaner® clea • CLEANSTIXX™ commerical combo box with thirty 2.5mm	ning fluid				
FK05	Military CLEANKIT™ Cleaning Kit • CLEANWIPES™ 600 box, CLEANWIPES™ 90 tub and 25 Outdoor Cleanwipes™ • Two cans of fibre Optic Splice & Connector Cleaner* cleaning fluid • CLEANSTIXX™ military combo box with 10x 2.5mm, 10x 1.25mm, 10x Pin Termini, 10x MT and 10x 1.6mm sticks					
FK08	High Volume CLEANKIT™ Cleaning Kit • 1.25mm and 2.5mm CLEANCLICKER® 750 Fibre Optic Cleaners • CleanWipes™ 90 benchtop wipes, CleanWipes™ 600 and 25 outdoor CleanWipes™ • Two cans of fibre Optic Splice & Connector Cleaner® cleaning fluid • CLEANSTIXX™ commerical combo box with thirty 2.5mm sticks and twenty 1.25mm sticks					
	SPECIALIST KITS - LEAD	TIME DETERMINED AT TIME OF ORDER PLACEMENT				
FK12	Heavy-Duty Fibre Optic Cleaning Kit • 1.25mm and 2.5mm CLEANCLICKER® 750 • Cassette CleanClicker™ • Two cans of fibre Optic Splice & Connector Cleaner® clea • CleanVipes™ 90 benchtop wipes and 25 outdoor CleanW • CLEANSTIXX™ commerical combo box with thirty 2.5mm	Vipes™				
FK-FTTA	Fibre To The Antenna Cleaning Kit • 1.25 CleanClicker™ 400 "mini-clicker" • Cassette CleanClicker™ • CleanWipes 640 • CleanWipes 640 • Fifty Pin Termini CleanStixx™ and Fifty 1.25mm CleanStix					
FK-FTTH	Fibre To The Home Cleaning Kit • 2.5mm CLEANCLICKER® 750 • Cassette CleanClicker™ • CleanWipes™ 90 benchtop wipes and CleanWipes 640 • One can of fibre Optic Splice & Connector Cleaner® clean • One hundred 2.5mm CleanStixx™	ing fluid				
		INSPECTION AND CLEANING KITS - LEAD TIME DETERMINED AT TIME OF	ORDER PLACEMENT			
FK17	CleanKit - LC/MPO Super-rugged, watertight, airtight hard-sided carrying cas 1.25mm CLEANCLICKER® 750 and CleanClicker MPO Two cans of fibre Optic Splice & Connector Cleaner® clean Fifty 1.25mm CleanStixx™ and Fifty 2.5mm CleanStixx™ CleanWipes 90	se meets MIL STD 512.4 and IP67 ratings for immersion and abuse ning fluid	To last			
FK18		se meets MIL STD 512.4 and IP67 ratings for immersion and abuse "handheld scope with built-in capabilities for image viewing, auto-focus, ning fluid				
FK19	SC Kit - 2.5mm FTTH • Super-rugged, watertight, airtight hard-sided carrying case meets MIL STD 512.4 and IP67 ratings for immersion and abuse • The VIAVI Fiber Chek™ Probe Microscope is an "all-in-one" handheld scope with built-in capabilities for image viewing, auto-focus, PASS/FAIL analysis and storing/recalling results • Two 2.5mm CLEANCLICKER® 750 • Two cans of fibre Optic Splice & Connector Cleaner® cleaning fluid • One hundred 2.5mm CleanStixx™ • CleanWipes 90					
FK20		se meets MIL STD 512.4 and IP67 ratings for immersion and abuse " handheld scope with built-in capabilities for image viewing, auto-focus, ning fluid				